




## Product Information

### GP-733 TRIMETHYLETHOXY SILANE

Genesee Polymers' *GP-733 TRIMETHYLETHOXY SILANE* is an intermediate useful for blocking hydroxyl or amino groups to perform reactions on multi-functional organic compounds or polymers. It is also useful for deactivating glass surfaces used in gas chromatographic applications.



TYPICAL PROPERTIES	
Appearance	Clear, Colorless Liquid
Weight/Gallon @ 68° F	6.3
Flash Point (P.M.C.C.)	23° F
Specific Gravity	0.75
Boiling Range	167 - 169° F
Vapor Pressure @ 77° F	111 mm Hg.

**INNOVATIVE POLYMER TECHNOLOGY**

## PROCESSING AND SAFETY GUIDELINES

Genesee Polymers' *GP-733 TRIMETHYLETHOXY SILANE* should be handled with care. Although *GP-733* is not highly toxic, it has a low flash point of 23° F (making it Flammable) and a high vapor pressure at room temperature. For additional safety precautions, refer to Safety Data Sheet.

## PACKAGING/HANDLING/STORAGE

*GP-733 TRIMETHYLETHOXY SILANE* is supplied in 5-gallon (30 lbs.) pails and 55-gallon (330 lbs.) drums.

*GP-733* is Flammable. Keep away from open flames or welding torches, even when drum is empty. Moisture Sensitive. Keep containers tightly sealed.



[www.gpcsilicones.com](http://www.gpcsilicones.com)

This information is based on tests believed to be reliable. It is given only for your information and no warranty, express or implied, is made as we cannot guarantee the test conditions not under our direct control. This data is not intended as authorization or recommendation to practice a patented invention without knowledge or permission of the patent owner.