Safety Data Sheet

gpcsilicones.com



Version: 2

Revision Date: November 29, 2017 Printing Date: November 29, 2017

1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Identifiers

PRODUCT NAME: PRODUCT NUMBER: DESCRIPTION: CAS NUMBER: EC NUMBER: **GP-252** C-8532-BULK Methylphenyl Dimethoxy Silane 3027-21-2 221-192-4

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

USE OF SUBSTANCE: Industrial / Chemical intermediate

1.3 Company Identifiers

MANUFACTURER: Genesee Polymers Corporation G-4099 S. Dort Hwy. Burton, MI 48529 Tel (810) 715-5018 Fax (810) 742-8581 Email: cpiskoti@gpcsilicones.com

1.4 Emergency Contact Information

24 HR. EMERGENCY PHONES: CHEM*TEL (800) 255-3924 (Domestic) / (813) 248-0585 (International) Contract Number: MIS0002539

2 – HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
H227: Combustible Liquid.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC
R36/38 Irritating to eyes and skin.
Information concerning particular hazards for human and environment:
Not Applicable

Genesee Polymers - GP-252

PAGE 1 of 10

2.2 GHS Label elements, including precautionary statements

Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States. (GHS) The substance is classified and labelled according to the CLP regulation.



SIGNAL WORD:

Warning.

HAZARD DETERMINING COMPONENTS OF LABELLING:

Methylphenyldimethoxysilane

HAZARD STATEMENTS

H315: Causes skin irritation. H319: Causes serious eye irritation. H227 Combustible liquid H302 Harmful if swallowed. H335 May cause respiratory irritation.

PRECAUTIONARY STATEMENTS

P280: Wear protective gloves/protective clothing/eye protection. P264: Wash thoroughly after handling. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P304+P340+P311 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician. P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking. P261 Avoid breathing mist/vapours/spray. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P330 Rinse mouth.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P321 Specific treatment (see first-aid instruction on this label).

P362 & P364 Take off contaminated clothing and wash before reuse.

P370+378: In case of fire: Use for extinction: CO2, powder or water spray.

P403+P235: Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/state/national/international regulations.

HAZARD DESCRIPTION:

WHMIS-SYMBOLS:

N/A

NFPA-ratings (scale 0 – 4)

| Health | 2 |
|--------------|---|
| Flammability | 1 |
| Reactivity | 1 |

Genesee Polymers - GP-252

PAGE 2 of 10

HMIS-ratings (scale 0 – 4)

| Health | 2 |
|---------------------|---|
| Flammability | 1 |
| Reactivity | 1 |
| Personal Protection | н |

HMIS LONG TERM HEALTH SUBSTANCES

Substance is not listed.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Results of PBT and vPvB assessment: PBT: Not applicable

vPvB: Not applicable

3 – HAZARDS IDENTIFICATION

3.1 Substances Description: CAS-No.:

EC-No.:

Methylphenyldimethoxysilane 3027-21-2 221-192-4

Hazardous components:

| COMPONENT | CLASSIFICATION | CONCENTRATION |
|---------------------------------------|--------------------|---------------|
| Impurities and stabilising additives: | FLAM. LIQ. 2 H225 | < 1% |
| methanol | EYE IRRIT. 2, H319 | |
| CAS: 67-56-1 | | |
| EINECS: 200-659-6 | | |
| Index number: 603-001-00-X | | |

4 – FIRST-AID MEASURES

4.1 Description of first aid measures

| GENERAL INFORMATION: | Immediately remove any clothing soiled by the product. Consult a physician. Sl | how this safety |
|--------------------------------------|--|---------------------|
| | data sheet to the doctor in attendance. Take affected persons out into fresh air. | low this surety |
| BREATHING (INHALATION): | Supply fresh air; consult doctor in case of complaints. In case of irregular breat | hing or respiratory |
| | arrest provide artificial respiration. | ing of respiratory |
| SKIN (DERMAL): | Immediately remove any clothing soiled by the product. | |
| | If skin irritation is experienced, consult a doctor. | |
| EYES: | Remove contact lenses if worn. | |
| | Rinse opened eye for several minutes under running water. If symptoms persist, | consult a doctor. |
| SWALLOWING (INGESTION): | Do not induce vomiting; call for medical help immediately. | |
| | Never give anything by mouth to an unconscious person. | |
| | Rinse mouth with water. Consult a physician. | |
| 4.2 Most important symptoms an | nd effects, both acute and delayed | |
| Gastric or intestinal disorders when | ingested. | |
| Coughing. | | |
| Irritant to skin and mucous membra | nes. | |
| Irritant to eyes. | | |
| Difficulty breathing | | |
| Nausea in case of ingestion. | | |
| On contact with water this compour | nd liberates ethanol which is known to have a chronic effect on the central nervou | s system. |
| HAZARDS: | Danger of impaired breathing. | |
| | Vapours may cause drowsiness and dizziness. | |
| | medical attention and special treatment needed luct reacts with water in the acid contents of the stomach to form methanol. | |
| Genesee Polymers - GP-252 | | PAGE 3 of 10 |

5 – FIRE-FIGHTING MEASURES

5.1 Extinguishing media Suitable extinguishing agents: Alcohol resistant foam. Fire-extinguishing powder. Carbon dioxide. Gaseous extinguishing agents. For safety reasons unsuitable extinguishing agents: Water. 5.2 Special hazards arising from the substance or mixture: Formation of toxic gases is possible during heating or in case of fire. **5.3 Advice for firefighters Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit. Additional information Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water spray.

6 – ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Particular danger of slipping on leaked/spilled product. Ensure adequate ventilation. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. **6.2 Environmental precautions:** Do not allow to enter sewers/surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. 6.3 Methods and material for containment and clean up Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders.) Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Send for recovery or disposal in suitable receptacles. **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment See Section 13 for disposal information. 7 – HANDLING and STORAGE

7.1 Precautions for safe handling

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

Information about fire – and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may form in empty receptacles.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool, dry place.

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Genesee Polymers - GP-252

PAGE 4 of 10

Information about storage in one common storage facility:

Store away from foodstuffs.

Protect from humidity and water.

Do not store together with oxidising and acidic materials.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly sealed.

7.3 Specific end use(s)

No further relevant information available.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

| Ingredient | CAS number | Data type | Value |
|------------|------------|-------------|---------|
| methanol | 67-56-1 | ACGIH, TWA | 200 ppm |
| methanol | 67-56-1 | ACGIS, STEL | 250 ppm |

DNELs No further relevant information available. **PNECs** No further relevant information available.

Ingredients with biological limit value

| Ingredient | CAS number | Data type | Value |
|------------|------------|-----------|-------|
| None | N/A | N/A | N/A |

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Use only in well ventilated areas

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

spiratory protection:

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device when aerosol or mist is formed.

For large spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Genesee Polymers - GP-252

PAGE 5 of 10

Eye protection:



Safety glasses

Body protection: Protective work clothing Limitation and supervision of exposure into the environment No further relevant information available. **Risk management measures** See section 7 for additional information. No further relevant information available.

9 – PHYSICAL / CHEMICAL PROPERITES

| 9.1 Information on basic physica | l and chemical properties |
|-------------------------------------|---|
| General Information | |
| Appearance: | |
| Form: | Liquid. |
| Colour: | Clear |
| Odour: | Not determined. |
| Odour threshold: | Not determined. |
| pH value: | Not determined. |
| Change in condition: | |
| Melting point/Melting range: | <0 ° C (< 32 °F) |
| Boiling point/Boiling range: | 286° C (547° F) |
| Flash point: | 80 ° C (176 ° F) |
| Flammability (solid, gaseous): | Not applicable. |
| Auto/Self-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| Self-igniting: | Not determined. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure: | Not determined. |
| Density at 25 °C: | $0.99 \text{ g/cm}^3 (8.262 \text{lbs/gal})$ |
| Relative density: | Not determined. |
| Vapour density at 20 °C | Not determined. |
| Evaporation rate: | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Reacts with water |
| Partition coefficient | |
| (n-octanol/water) | Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| VOC content: | Not determined. |
| 9.2 Other information | No further relevant information available. |
| | |

10 – STABILITY and REACTIVITY

10.1 Reactivity 10.2 Chemical stability

Genesee Polymers - GP-252

Thermal decomposition / conditions to be avoided Keep away from heat and direct sunlight. **10.3 Possiblility of hazardous reactions** Flammable. Reacts with oxidizing agents. Reacts with strong acids. Reacts with water. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised. Toxic fumes may be released if heated above the decomposition point. **10.4 Conditions to avoid** Moisture Keep ignition sources away - Do not smoke. Store away from oxidizing agents. Keep away from heat and direct sunlight. **10.5 Incompatible materials:** Keep away from water. Reacts with water and moisture in air to liberate methanol. **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide. Methanol in case of hydrolysis.

11 – TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity (LD/LC50 values):

| Ingredient | CAS Number | Data Type | Value |
|-----------------------------|------------|---------------|-----------|
| Methylphenyldimethoxysilane | 3027-21-2 | LD50 oral rat | 892 mg/kg |

Primary irritant effect:

On the skin: Irritant to skin and mucous membranes.

On the eye: Causes serious eye irritation

Sensitisation: No sensitising effects known.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version. Irritant

12 – ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

13 – DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recommendation

Genesee Polymers - GP-252

PAGE 7 of 10

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14 – TRANSPORTATION INFORMATION

| 14.1 Transport hazard information | | |
|-----------------------------------|---------------|--|
| DOT | | |
| UN Number: | Not Regulated | |
| Proper shipping name: | Not Regulated | |
| Hazard class: | Not Regulated | |
| Packing group: | Not Regulated | |

| Not Regulated |
|---------------|
| Not Regulated |
| Not Regulated |
| |
| Not Regulated |
| |

| IMDG | |
|-----------------------|---------------|
| UN Number: | Not Regulated |
| Proper shipping name: | Not Regulated |
| Hazard class: | Not Regulated |
| Packing group: | Not Regulated |

| IATA |
|-----------------------|
| UN Number: |
| Proper shipping name: |
| Hazard class: |
| Packing group: |

Not Regulated Not Regulated Not Regulated

14.2 Environmental hazards:Marine pollutant:No14.3 Special precautions for user: Not applicable.Danger code:Not applicableEMS Number:Not applicableTransport in bulk according to AnnexII ofGenesee Polymers - GP-252

PAGE 8 of 10

15 - REGULATIONS

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) **SARA** Section 355 (extremely hazardous substances): Substance is not listed. Section 313 (Specific toxic chemical listings): Substance is not listed. **TSCA (Toxic Substances Control Act):** Substance is listed **Proposition 65 (California)** Chemicals known to cause cancer: Substance is not listed Chemicals known to cause reproductive toxicity for females: Substance is not listed. Chemicals known to cause reproductive toxicity for males: Substance is not listed. Chemicals known to cause developmental toxicity: Present in trace quanitites: Methanol. **Carcinogenic Categories EPA (Environmental Protection Agency)** Substance is not listed. IARC (International Agency for Research on Cancer): Substance is not listed. TLV (Threshold Limit Value established by ACGIH): Substance is not listed. NIOSH-Ca (National Institute for Occupational Safety and Health): Substance is not listed. Canada **Canadian Domestic Substances list:** Substance is listed. **Canadian Ingredient Disclosure list (limit 0.1%):** None of the ingredients are listed. **Canadian Ingredient Disclosure list (limit 1%):** Substance is listed. Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Substances of very high concern (SVHC) according to REACH, Article 57: Substance is not listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 – OTHER INFORMATION

We believe the recommendations and technical information contained herein to be accurate. However, they are given without warranty or guarantee, expressed or implied, and we assume no responsibility for losses or damages, direct or indirect, as a result of their use.

Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

Genesee Polymers - GP-252

PAGE 9 of 10

DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commerical Chemical Substances NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (Canada) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50 Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin irrit. 2 Skin corrosion/irritaton, Hazard Category 2 Eye Irrit. 2 Serious eye damage/eye irritation, Hazard Category 2

Sources

SDS Prepared by: Genesee Polymers Corporation

With assistance from: Chemtel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

Genesee Polymers - GP-252

PAGE 10 of 10