## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

### 1 Identification

· Product identifier

Trade name: <u>GP-733</u>Product code: C-0263

· CAS Number: 1825-62-3

- · Recommended use and restriction on use
- · Recommended use: Industrial uses.
- · Restrictions on use: Contact manufacturer/supplier
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Genesee Polymers Corporation

G-4099 S. Dort Hwy. Burton, MI 48529 (810) 715-5018

customerservice@gpcsilicones.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)



## 2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS02

- · Signal word: Danger
- · Hazard statements:

H225 Highly flammable liquid and vapor.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P280 Wear protective gloves / eye protection / face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

(Cont'd. on page 2)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 1)

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

1825-62-3 ethoxytrimethylsilane

### 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

· Danger:

May be harmful if inhaled.

Causes mild skin irritation.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Water fog / haze

Foam

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

(Cont'd. on page 3)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 2)

- For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered containers with water fog.

#### 6 Accidental release measures

## · Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Keep away from ignition sources.

Protect from heat.

- Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

### · Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Keep containers tightly sealed.

Provide ventilation for receptacles.

(Cont'd. on page 4)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 3)

Avoid storage near extreme heat, ignition sources or open flame.

Store below 77 ° F (25 ° C).

· Information about storage in one common storage facility:

Store away from foodstuffs.

Protect from humidity and water.

Store away from oxidizing agents.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

## 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

· Protection of hands:



Protective gloves

· Material of gloves

Butyl rubber, BR

Neoprene gloves

· Eve protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

Avoid release to the environment.

Risk management measures

See Section 7 for additional information.

No relevant information available.

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 4)

9 Physical and chemical properties	
Information on basic physical and chemical properties	
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor: · Odor threshold:	Alcohol-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	75-76 °C (167-168.8 °F)
· Flash point:	-5 °C (23 °F) (PMCC)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
· Vapor pressure at 56 °C (132.8 °F):	533 hPa (399.8 mm Hg)
· Density at 20 °C (68 °F):	0.76 g/cm³ (6.34 lbs/gal)
Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

Moist conditions

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

· Possibility of hazardous reactions

(Cont'd. on page 6)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 5)

Highly flammable liquid and vapor.

Reacts with acids.

Reacts with alkali (lyes).

Reacts with oxidizing agents.

Reacts with water.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

· Conditions to avoid

Moisture.

Keep ignition sources away - Do not smoke.

Incompatible materials

Water

Oxidizers, strong bases, strong acids

· Hazardous decomposition products

Carbon monoxide and carbon dioxide

Silicon Oxides (SiOx).

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin:

Causes mild skin irritation.

Based on available data, the classification criteria are not met.

- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

Substance is not listed.

#### NTP (National Toxicology Program):

Substance is not listed.

### OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

### · Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- $\cdot \, \textbf{STOT-repeated exposure:} \, \, \textbf{Based on available data, the classification criteria are not met.} \,$
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 6)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

### 13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

# 14 Transport information

· UN-Number

· DOT, ADR/RID/ADN, IMDG, IATA UN1993

UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

• **DOT** Flammable liquids, n.o.s. (ethoxytrimethylsiloxane)

· ADR/RID/ADN 1993 FLAMMABLE LIQUID, N.O.S.

(ETHOXYTRIMETHYLSILANE)

· IMDG FLAMMABLE LIQUID, N.O.S.

(ETHOXYTRIMETHYLSILANE)

· IATA Flammable liquid, n.o.s. (ethoxytrimethylsiloxane)

Transport hazard class(es)

(Cont'd. on page 8)

Page: 8/9

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 7) · DOT · Class 3 · Label 3 · ADR/RID/ADN · Class 3 (F1) · Label · IMDG, IATA 3 · Class · Label 3 · Packing group DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards · Marine pollutant: No Special precautions for user Warning: Flammable liquids Danger code (Kemler): · EMS Number: F-E,S-E · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

Substance is not listed.

Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

(Cont'd. on page 9)

Page: 9/9

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 30, 2019

Trade name: GP-733

(Cont'd. of page 8)

TSCA (Toxic Substances Control Act)

Substance is listed

ACTIVE

· Proposition 65 (California)

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL):

Contact manufacturer.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids - Category 2

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com