

GP-208 PHENYLTRIETHOXYSILANE

Genesee Polymers' *GP-208 PHENYLTRIETHOXYSILANE* is an intermediate useful for synthesis of silicone resins with high temperature stability. *GP-208* may also be used as a catalyst in the synthesis of polypropylene.

$$H_3C$$
 CH_2
 O
 $Si-O$
 CH_3
 CH_3

TYPICAL PROPERTIES	
Appearance	Clear, Colorless Liquid
Purity	>97%
Boiling Point	234° F (112 °C)
Flash Point (P.M.C.C.)	205° F (96 °C)
Specific Gravity	0.980 – 1.010
Refractive Index	1.4500 – 1.4700

INNOVATIVE POLYMER TECHNOLOGY

Product Code: C-2374 Version: 3.0 Revision Date: February 9, 2019

PROCESSING AND SAFETY GUIDELINES

Genesee Polymers' *GP-208 PHENYLTRIETHOXYSILANE* should be handled with care. Use proper precautions for handling industrial chemicals. Consult Safety Data Sheet for additional details.

PACKAGING/HANDLING/STORAGE

GP-208 PHENYLTRIETHOXYSILANE is supplied in 5-gallon (40 lbs.) pails and 55-gallon (440 lbs.) drums.

Moisture Sensitive - maintain under nitrogen.



www.gpcsilicones.com

This information is based on tests believed to be reliable. It is given only for your information and no warranty, expressed or implied, is made as we cannot guarantee the test conditions not under our direct control. This data is not intended as authorization or recommendation to practice a patented invention without knowledge or permission of the patent owner.