Safety Data Sheet

gpcsilicones.com



Version: 3

Revision Date: August 29, 2018
Printing Date: August 29, 2018

1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product Identifiers

PRODUCT NAME: GP-217
PRODUCT NUMBER: C-5580-BULK

DESCRIPTION: SILICONE POLYOL COPOLYMER

CAS NUMBER: 68938-54-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

USE OF SUBSTANCE: Industrial / Wetting Agent

1.3 Company Identifiers

MANUFACTURER: Genesee Polymers Corporation

G-4099 S. Dort Hwy. Burton, MI 48529

Tel (810) 715-5018 Fax (810) 742-8581 Email: cpiskoti@gpcsilicones.com

1.4 Emergency Contact Information

24 HR. EMERGENCY PHONES: CHEM*TEL (800) 255-3924 (Domestic) / (813) 248-0585 (International)

Contract Number: MIS0002539

2 – HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Acute Tox. 4 H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R20 Harmful by inhalation.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

Not Applicable

2.2 GHS Label elements, including precautionary statements

Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States. (GHS) The product is classified and labelled according to the Globally Harmonised System (GHS).







SIGNAL WORD: Warning.

HAZARD DETERMINING COMPONENTS OF LABELLING:

Siloxanes and Silicones, Di-Me, 3-hydroxypropyl Me, ethers with polyethylene glycol mono Me-ether

HAZARD STATEMENTS

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H411 H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

P261 Avoid breathing mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P391 Collect spillage

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARD DESCRIPTION:

WHMIS-SYMBOLS:

Not hazardous under WHMIS.

NFPA-ratings (scale 0-4)

Health	1
Flammability	1
Reactivity	0

HMIS-ratings (scale 0-4)

Health	1
Flammability	1
Reactivity	0
Personal Protection	В

HMIS LONG TERM HEALTH SUBSTANCES

Substance is not listed.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Results of PBT and vPvB assessment:

PBT: Not applicable vPvB: Not applicable

3 - HAZARDS IDENTIFICATION

3.1 Substances

Description: Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethers with polyethylene glycol mono Me-

ether

CAS-No.: 68938-54-5

Hazardous components:

COMPONENT	CLASSIFICATION	CONCENTRATION
Not Regulated	N/A	N/A

4 – FIRST-AID MEASURES

4.1 Description of first aid measures

GENERAL INFORMATION: Immediately remove any clothing soiled by the product. Take affected persons out into fresh air.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at

least 48 hours after the accident.

BREATHING (INHALATION): Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected

person has difficulty breathing. In case of unconsciousness place patient stably in side position

for transportation.

SKIN (DERMAL): Immediately rinse with water.

If skin irritation is experienced, consult a doctor. Launder contaminated clothing before re-use.

Immediately remove any clothing soiled by the product.

EYES: Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

SWALLOWING (INGESTION): Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Coughing.

Difficulty breathing

Slight irritant effect on skin and mucous membranes.

Slight irritant effect on eyes.

HAZARDS: Harmful if inhaled.

May be harmful if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment. Medical supervision for at least 48 hours.

5 - FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing agents:

Alcohol resistant foam.

Fire-extinguishing powder.

Carbon dioxide.

Gaseous extinguishing agents.

For safety reasons unsuitable extinguishing agents: None.

Genesee Polymers - GP-217

5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

Additional information

Cool endangered receptacles with water spray.

6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Wear respiratory protection.

6.2 Environmental precautions:

Do not allow to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and clean up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders.)

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment

See Section 13 for disposal information.

7 - HANDLING and STORAGE

7.1 Precautions for safe handling

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

Information about fire – and explosion protection:

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents. Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep container tightly sealed.

eep container tightly sealed.

7.3 Specific end use(s)

No further relevant information available.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Ingredient	CAS number	Data type	Value
None	N/A	N/A	N/A

DNELs No further relevant information available.

PNECs No further relevant information available.

Ingredients with biological limit value

Ingredient	CAS number	Data type	Value
None	N/A	N/A	N/A

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and feed.

Avoid close or long term contact with the skin.

Respiratory protection:

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device when aerosol or mist is formed.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Body protection:

Impervious protective clothing.

Limitation and supervision of exposure into the environment

Do not release into any body of water.

No further relevant information available.

Genesee Polymers - GP-217

Risk management measures

See section 7 for additional information. No further relevant information available.

9 - PHYSICAL / CHEMICAL PROPERITES

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid.

Colour: Clear to straw color.

Odour: Mild

Odour threshold: Not determined. PH value: Not determined.

Change in condition:

Melting point/Melting range:Not determined.Boiling point/Boiling range:>392°F (>200°C)Flash point:>149 °C (>300 °F)Flammability (solid, gaseous):Not applicable.Auto/Self-ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:Not determined.Upper:Not determined.Vapor pressure:1.32 hPa (1 mm Hg)Density at 25 °C:1.06 g/cm³ (8.846 lbs/gal)

Relative density:

Vapour density at 20 °C

Evaporation rate:

Not determined.

Not determined.

Not determined.

Solubility in / Miscibility with

Water: Dispersible.

Partition coefficient

(**n-octanol/water**) Not determined.

Viscosity:

Dynamic: 200 cSt

Kinematic: Not determined.

9.2 Other information No further relevant information available.

10 - STABILITY and REACTIVITY

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

10.3 Possiblility of hazardous reactions

Reacts with strong acids and oxidising agents.

Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to avoid

Store away from oxidizing agents.

Keep away from heat and direct sunlight.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide.

11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity (LD/LC50 values):

Ingredient	CAS Number	Data Type	Value
Siloxanes and Silicones, di-Me,	68938-54-5	Oral LD50	>2000 mg/kg (rat)
3-hydroxypropyl Me, ethers			
with polyethylene glycol mono			
Me-ether			
Siloxanes and Silicones, di-Me,	68938-54-5	Inhalative LC50/4h	11 mg/l (rat)
3-hydroxypropyl Me, ethers			
with polyethylene glycol mono			
Me-ether			

Primary irritant effect:

On the skin: Slight irritant effect on skin and mucous membranes.

On the eye: Slight irritant effect on eyes. Sensitisation: No sensitising effects known. Additional toxicological information:

Acute effects (acute toxicity, irritation and corrosivity):

Harmful if inhaled.

May be harmful if swallowed. ay be harmful if swallowed.

Repeated dose toxicity:

1

12 - ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic toxicity: Toxic for aquatic organisms The following ingredients are harmful to the environment:

Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethers with polyethylene glycol mono Me-ether

CAS #68938-54-5

EC50 - 1.1 mg/kg (daphnia)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

Ecotoxical effects:

Remark: Toxic for fish

General notes:

Do not allow product to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Genesee Polymers - GP-217

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14 - TRANSPORTATION INFORMATION

14.1 Transport hazard information

DOT

UN Number: UN 3082

Proper shipping name: Environmentally hazardous substances, liquid, n.o.s (polyethersiloxane)

Hazard class: 9 Miscellaneous dangerous substances and articles.

Label: 9
Packing group: III

Special instructions: Product contains environmentally hazardous substances: Siloxanes and Silicones, di-Me, 3-

hydroxypropyl Me, ethers with polyethylene glycol mono Me-ether





ADR

UN Number: UN3082

Proper shipping name: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(POLYETHERSILOXANE)

Hazard class: 9 (M6) Miscellaneous dangerous substances and articles

Label:9Packing group:IIILimited quantities:5LExcepted quantities:Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category: 3 **Tunnel restriction code:** E





IMDG

UN Number: UN3082

Genesee Polymers - GP-217 PAGE 8 of 11

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(POLYETHERSILOXANE) MARINE POLLUTANT

Hazard class: 9 Miscellaneous dangerous substances and articles.

Label:9Packing group:IIILimited quantities:5LExcepted quantities:Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml





IATA

UN Number: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (polyethersiloxane)

Hazard class: 9 Miscellaneous dangerous substances and articles.

abel: 9
Packing group: III





14.2 Environmental hazards:

Marine pollutant: Yes

Symbol (fish and tree)

Special marking (ADR): Symbol (fish and tree) Special marking (IATA) Symbol (fish and tree)

14.3 Special precautions for user: Warning: Miscellaneous dangerous substances and articles.

anger code:

EMS Number: F-A,S-F
Transport in bulk according to AnnexII of
MARPOL73/78 and the IBC Code: Not applicable

UN "Model Regulation": UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

15 - REGULATIONS

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United States (USA)

SARA

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is listed

Proposition 65 (California)

Chemicals known to cause cancer:

Substance is not listed

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic Categories

EPA (Environmental Protection Agency)

Substance is not listed.

IARC (International Agency for Research on Cancer):

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH):

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

Canada

Canadian Domestic Substances list:

Substance is listed.

Canadian Ingredient Disclosure list (limit 0.1%):

Substance is not listed.

Canadian Ingredient Disclosure list (limit 1%):

Substance is not listed.

Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57:

Substance is not listed.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 - OTHER INFORMATION

We believe the recommendations and technical information contained herein to be accurate. However, they are given without warranty or guarantee, expressed or implied, and we assume no responsibility for losses or damages, direct or indirect, as a result of their use.

Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (Canada)

WHMIS: Workplace Hazardous Materials Information System (Canada)

PNEC: Predicted No-Effect Concentration (REACH)

LD50: Lethal dose, 50 percent

Acute Tox.4: Acute toxicity, Hazard Category 4

Aquatic Chronic 2: Hazardous to the aquatic environment- Chronic Hazard Category 2

urces

SDS Prepared by:

Genesee Polymers Corporation

With assistance from:

Chemtel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Genesee Polymers - GP-217

PAGE 10 of 11

Website: www.chemtelinc.com	
Genesee Polymers - GP-217	PAGE 11 of 11